# CALEDON (501)

### **CARPET TILE**







Traditional linear design to outline and define any working space. In 20" x 20" (nominal) tiles available in 6 colours. Tufted with Solution dyed fibre, and backed with fiberglass reinforced PVC. This offers excellent dimensional stability.

Mistywood

# CALEDON (501) CARPET TILE



#### **PRODUCT SPECIFICATIONS**

Fiber System	Solution dyed twisted polypropylene
Backing System	PVC with Fiberglass
Width	19.7"
Length	19.7"
Pile Weight	16 oz. /sq. yard (520 g/m2)
Gauge	1/12"
Density	5500 oz. /yd3
Installation Method	Ashlar, Brick, Monolithic, Quarter Turn
Certification(s)	CRI Green Label Plus
Warranty	Lifetime Limited Commercial Warranty Stain Resistance Warranty Backing Performance Commercial Wear See full warranty text at fuzionflooring.com
Price Range (\$ - \$\$\$\$)	\$

#### **CARTON SPECS**

Packaging	6 Sq. Yd. per carton
Weight	53 lbs.






# WARSAW (9190)

### **CARPET TILE**













The sleek organic plank in the Warsaw collection brings the calm of nature inside. Constructed of Premium solution dyed nylon, Warsaw will be the perfect backdrop of any busy space.



# WARSAW (9190)





#### **PRODUCT SPECIFICATIONS**

Fiber System	Solution dyed nylon
Backing System	PVC with Fiberglass
Width	9.84"
Length	39.37"
Pile Weight	16 oz. /sq. yard (530 g/m2)
Gauge	1/12"
Density	5610 oz. /yd3
Installation Method	Ashlar, Brick, Herringbone
Certification(s)	CRI Green Label Plus, ISO 9001 AND ISO 14001
Warranty	Lifetime Limited Commercial Warranty
Price Range (\$ - \$\$\$)	\$

#### **CARTON SPECS**

Packaging	6 Sq. Yd. per carton
Weight	53 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:







Reducer




T-Mold



## ODESSA (7610)

#### CARPET TILE





Odessa is Classic design for commercial open spaces. The subtle pattern will coordinate with any space. Available in 6 colours, in 20" x 20" tiles, constructed in Solution dyed nylon with a PVC backing.



# ODESSA (7610) CARPET TILE



#### **PRODUCT SPECIFICATIONS**

Fiber System	Nexlon Premium Solution Dyed Nylon 6 with StainShield and SoilGuard treatment
Backing System	PVC with Fiberglass
Width	19.7"
Length	19.7"
Pile Weight	16 oz. /sq. yard (520 g/m2)
Gauge	1/12"
Density	17164 oz. /yd3
Installation Method	Ashlar, Brick, Monolithic, Quarter Turn
Certification(s)	CRI Green Label Plus
Warranty	Lifetime Commercial Warranties Stain Resistance Warranty Backing Performance Commercial Wear See full warranty text at fuzionflooring.com
Price Range (\$ - \$\$\$\$)	\$

#### **CARTON SPECS**

Packaging	6 Sq. Yd. per carton
Weight	56 lbs.






# MINETT (5401)

### **CARPET TILE**
















Designed to give an elegant pattern that will take any office space to the next level of style, while still fitting with the professionalism of any boardroom.

<sup>&#</sup>x27;For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.





#### **PRODUCT SPECIFICATIONS**

Fiber System Solution dyed twisted polyprop  Backing System PVC with Fiberglass	pylene
Poolsing System DVC with Fiborglass	
<b>Backing System</b> PVC with Fiberglass	
Width 19.7"	
Length 19.7"	
Pile Weight 20 oz. /sq. yard (680 g/m2)	
<b>Gauge</b> 1/12"	
<b>Density</b> 5142 oz. /yd3	
Installation Method Ashler, Brick, Quarter Turn	
Certification(s) CRI Green Label Plus	
Warranty  Lifetime Limited Commercial V Stain Resistance Warranty Backing Performance Commercial Wear See full warranty text at fuzioni	
Price Range (\$ - \$\$\$\$) \$	

#### **CARTON SPECS**

Packaging	6 Sq. Yd. per carton
Weight	53 lbs.





## INGLEWOOD (201)

### **CARPET TILE**



beyond expectation







Rich Earth





A combination pattern of linear with an organic touch! In 20" x 20" (nominal) tiles and 6 beautiful colours. Made with durable Solution Dyed nylon, and backed with a fiberglass reinforced PVC backing for dimensional stability. Inglewood is perfect for any space.

### INGLEWOOD (201)





#### PRODUCT SPECIFICATIONS

Fiber System	Premium solution dyed nylon
Backing System	PVC with fiberglass
Width	19.7"
Length	19.7"
Pile Weight	16 oz. /sq. yard (520 g/m2)
Gauge	1/12"
Density	5000 oz. /yd3
Installation Method	Ashlar, Brick, Monolithic, Quarter Turn
Certification(s)	CRI Green Label Plus
Warranty	Lifetime Limited Commercial Warranty Stain Resistance Warranty Backing Performance Commercial Wear See full warranty text at fuzionflooring.com
Price Range (\$ - \$\$\$\$)	\$

#### **CARTON SPECS**

Packaging	6 Sq. Yd. per carton
Weight	54 lbs.





### **ELMVALE (7701)**

### **CARPET TILE**





The stylish planks in combination with the clean linear looks and the durability of nylon will ensure that this floor will look like new in any corporate space. The planks offer versatility to make the stylish herringbone pattern or other more traditional installations.



# ELMVALE (7701) CARPET TILE



#### **PRODUCT SPECIFICATIONS**

Fiber System	Solution Dyed Twisted Nylon Type 6
Backing System	PVC with Fiberglass
Width	9.9"
Length	39.4"
Pile Weight	15 oz. /sq. yard (510 g/m2)
Gauge	1/10"
Density	16959 oz. /yd3
Installation Method	Ashlar, Brick, Herringbone
Certification(s)	CRI Green Label Plus
Warranty	Lifetime Limited Commercial Warranty Comprehensive Stain Warranty - No Exclusions Backing Performance Commercial Wear See full warranty text at fuzionflooring.com
Price Range (\$ - \$\$\$\$)	\$

#### **CARTON SPECS**

Packaging	4.8 Sq. Yd. per carton
Weight	39 lbs.






### **CANMORE (2200)**

### **CARPET TILE**





The subtle tonal linear pattern in this collection adds a streamlined clean look anywhere it is installed. Constructed of Premium solution dyed nylon, Canmore will withstand high office traffic.



### **CANMORE (2200)**





#### PRODUCT SPECIFICATIONS

Fiber System	Solution dyed nylon
Backing System	PVC with Fiberglass
Width	19.7"
Length	19.7"
Pile Weight	16 oz. /sq. yard (540 g/m2)
Gauge	1/10"
Density	5610 oz. /yd3
Installation Method	Ashlar, Brick, Monolithic, Quarter Turn
Certification(s)	CRI Green Label Plus, ISO 9001 AND ISO 14001
Warranty	Lifetime Limited Commercial Warranty
Price Range (\$ - \$\$\$)	\$

#### **CARTON SPECS**

Packaging	6 Sq. Yd. per carton
Weight	53 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:







T-Mold




## **BALA BAY (3000)**

### **CARPET TILE**





The organic designs of this collection add a feeling of soft serene looks and feel to any space. Constructed of nylon, this carpet tile will perform in busy commercial spaces and quieter offices.



# **BALA BAY (3000)**





#### PRODUCT SPECIFICATIONS


Fiber System	Solution dyed nylon
Backing System	PVC with Fiberglass
Width	19.7"
Length	19.7"
Pile Weight	16 oz. /sq. yard (530 g/m2)
Gauge	1/10"
Density	5610 oz. /yd3
Installation Method	Ashlar, Brick, Monolithic, Quarter Turn
Certification(s)	CRI Green Label Plus, ISO 9001 AND ISO 14001
Warranty	Lifetime Limited Commercial Warranty
Price Range (\$ - \$\$\$)	\$

#### **CARTON SPECS**

Packaging4.8 Sq. Yd. per carton

Weight 42 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:







Reducer





