ATELIER LUXURY VINYL





















*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.





PRODUCT SPECIFICATIONS

Structure Dryback luxury vinyl plank

Wear Layer 0.5mm / 20mil

Width 7-3/8"

Thickness 1/8" / 3 MM

Length 48-5/16"

Edge Detail 4-sided microbevel

Finish Embossed

Installation Glued down (Pressure sensitive adhesive)

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Not compatible

Extreme Temperature Performance N/A

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial

Price Range (\$ - \$\$\$) \$

CARTON SPECS

Packaging 24.7 sq./ft. per carton

Weight 28.65 lbs.





DYNAMIX ENDURE


LUXURY VINYL





You don't need to sacrifice performance for a great value floor anymore. Dynamix Endure offers both. Endure is 100% waterproof, extremely heat/cold resistant and will stand up against the wear from a busy family. The floor looks like it was brought indoors from nature. It is ideal for any home or light commercial application.

*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



DYNAMIX ENDURE LUXURY VINYL



PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (3.5mm SPC + 1mm EVA underlayment)

Wear Layer 0.3mm/12mil

Width 7"

Thickness 3/16" / 4.5 MM

Length 48"

Edge Detail 4-sided microbevel

Finish Embossed

Installation 5Gi push lock click system or floated

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -30°C to 70°C / -22°F to 158°F

Additional Features N/A

Warranty Limited 25-year residential wear, 10-year limited light commercial wear

Price Range (\$ - \$\$\$) \$

CARTON SPECS

Packaging 26 sq./ft. per carton

Weight 41 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:









DYNAMIX GRANDE

LUXURY VINYL













A masterpiece of art and design, our new luxurious Premium Vinyl Plank brings innovative wood performance that's indistinguishable with technology that blends beautiful visuals with a touch of class. Available in single width flooring applications. Plaka Beach*

*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

DYNAMIX GRANDE LUXURY VINYL



PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (1.5mm LVT + 5mm WPC + 1.5mm cork)

Wear Layer 0.55mm/22mil

Width 9"

Thickness 5/16" / 8mm

Length 72"

Edge Detail Painted bevels

Finish Embossed or Embossed in register(*) & UV coating

Installation 5G locking system

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -20°C to 50°C / -4°F to 122°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial

Price Range (\$ - \$\$\$) \$\$

CARTON SPECS

Packaging 26.59-26.95 sq./ft. per carton

Weight 44-45 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:







Stair Nosing

Reducer

T-Mold







DYNAMIX GRANDE TILE

F O Z I O I A

beyond expectation

LUXURY VINYL













A masterpiece of art and design, our luxurious premium vinyl tile brings innovative stone performance that's indistinguishable with technology that blends beautiful visuals with a touch of class. Available in multi-width and single width flooring applications.

'For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

DYNAMIX GRANDE TILE



LUXURY VINYL

PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl tile (5mm SPC + 1.5mm cork)

Wear Layer 0.55mm/22mil

Width Mixed 6", 12" & 18"

Thickness 5/16" / 6.5 MM

Length 36"

Edge Detail Painted bevels

Finish Embossed, stone finish

Installation Push Lock I4F

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -20°C to 50°C / -4°F to 122°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial wear

Price Range (\$ - \$\$\$) \$

CARTON SPECS

Packaging 18-26.98 sq./ft. per carton

Weight 39-58 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:











DYNAMIX HARDCORE 3DGE

FUZION

LUXURY VINYL









A high density, high stability floor with virtually no expansion and no contraction with a 100% waterproof feature suitable for both commercial and residential use. With 3DGE painted bevel technology, your floors will have all the features and visuals for any application.

*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

DYNAMIX HARDCORE 3DGE



LUXURY VINYL

PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (4.5mm rigid core + 1.5mm IXPE underlayment)

Wear Layer 0.5mm/20mil

Width 7"

Thickness 1/4" / 6 MM

Length 60"

Edge Detail 3DGE painted beveled edges

Finish Embossed

Installation I4F push lock click system or floated

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -30°C to 70°C / -22°F to 158°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial wear

Price Range (\$ - \$\$\$) \$

CARTON SPECS

Packaging 17.7 sq./ft. per carton

Weight 34.42 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:











DYNAMIX HARDCORE

LUXURY VINYL





Dynamix HardCore is a high density, high stability floor with virtually no expansion and no contraction with a 100% waterproof feature suitable for both commercial and residential use. It also features a high definition PVC décor film which presents a beautiful natural wood visual.

For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



Spider Silk

DYNAMIX HARDCORE LUXURY VINYL



PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (4mm SPC + 1mm IXPE underlayment)

Wear Layer 0.3 mm / 12mil

Width 7 inch / 180 mm

Thickness 3/16" / 5 mm

Length 48 inch / 1220 mm

Edge Detail 4-sided microbevel

Finish Embossed / Embossed in register (*)

Installation I4F push lock click system or floated 5G-i Locking System

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -30°C to 70°C / -22°F to 158°F

Additional Features N/A

Warranty Limited 25-year residential wear, 10-year limited light commercial wear

Price Range (\$ - \$\$\$) \$

CARTON SPECS

Packaging 18.91 sq./ft. per carton

Weight 31 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:













DYNAMIX XL 3DGE

LUXURY VINYL















A floor for all seasons, this hybrid Luxury Vinyl Flooring is perfect for just about any location in your home. Beautifully designed with 3DGE painted bevel technology, this collection will make a statement in any location.

'For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.





PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (1.8mm LVT + 5mm WPC + 1.5mm cork)

Wear Layer 0.55mm / 22mil

Width 7-7/8 inches / 199mm or 9 inches / 225mm

Thickness 5/16" / 8.3 mm

Length 60 inches / 1522 mm

Edge Detail 3DGE painted beveled edges

Finish Embossed Only (*) / Embossed in register, UV coating

Installation 5G locking system, floated or glue down

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -20°C to 50°C / -4°F to 122°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial wear

Price Range (\$ - \$\$\$) \$\$

CARTON SPECS

Packaging 22.07 or 26.09 ft2/CTN, 2.05 or 2.42m2/ctn

Weight 40 - 42lbs.

FLOOR MOULDINGS & TRIM OPTIONS:









DYNAMIX XL CHEVRON

1 021014

beyond expectation

LUXURY VINYL







Experience modern design with Dynamix XL Chevron. Its pattern brings a fresh, contemporary vibe where beneath, cork provides comfort while our engineering promises durability and industry leading water resistance. Easy to install and maintain with an eco-friendly Floorscore certification. What else do you need to elevate your space?

*For illustrative purposes only, each product contains its own distinct character & colour variation. Product dimensions are nominal and provided as a guideline. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

DYNAMIX XL CHEVRON





LUXURY VINYL

PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (1.8mm LVT + 5mm WPC + 1.5mm cork)

Wear Layer 0.55mm/ 22mil

Width 12"

Thickness 5/16" / 8.3mm

Length 28 5/16"

Edge Detail 4-sided microbevel

Finish Embossed or Embossed in register(*), UV coated

Installation 5G locking system, floated or glue down

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -20°C to 50°C / -4°F to 122°F

N/A **Additional Features**

Limited lifetime residential & structural, 15-year heavy commercial Warranty

\$\$ **Price Range (\$ - \$\$\$\$)**

CARTON SPECS

Packaging 23.68 sq./ft. per carton

Weight 43 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:









DYNAMIX XL PLANK

hevond expectation

LUXURY VINYL





'For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



















DYNAMIX XL PLANK LUXURY VINYL



PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (1.8mm LVT + 5mm WPC + 1.5mm cork)

Wear Layer 0.55mm/22mil

Width 8" or 9"

Thickness 5/16" / 8.3mm

Length 60"

Edge Detail 4-sided microbevel

Finish Embossed(*) or Embossed in register, UV coating

Installation 5G locking system, floated or glue down

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -20°C to 50°C / -4°F to 122°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial wear

Price Range (\$ - \$\$\$) \$\$

CARTON SPECS

Packaging 22.07 - 26.09 sq./ft. per carton

Weight 41.25 - 42 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:









DYNAMIX XL TILE



LUXURY VINYL









A floor for all seasons, this hybrid luxury vinyl tile floor is perfect for just about any location in the home or cottage. Cityside or lakeside, this floor is built to perform. Rugged good looks, waterproof, easy-to-install click system, easy to maintain, and easy on the budget, Dynamix XL tile will transform your room into a clean attractive living space in no time at all!





PRODUCT SPECIFICATIONS

Structure	Engineered luxury	vinyl tile (1.8mm LVT	+ 5mm WPC + 1.5mm cork)
-----------	-------------------	-----------------------	-------------------------

Wear Layer 0.55 mm / 22mil

Width 12 inch / 305 mm

Thickness 5/16" / 8.3 mm

Length 24 inch / 610 mm

Edge Detail Painted grout bevel

Finish Embossed, stone finish

Installation 5G locking system, floated or glue down

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -20°C to 50°C / -4°F to 122°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial wear

Price Range (\$ - \$\$\$) \$\$

CARTON SPECS

Packaging 20.03 sq./ft. per carton

Weight 36 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:









SMARTDROP 7 LUXURY VINYL





The "need for speed" meets design in this ultimate loose lay Luxury Vinyl plank flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-

live-on floor. Available in 7"x 48" planks. *For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.







PRODUCT SPECIFICATIONS

Churchine	Engineered Living	المجلم البرمانيين
Structure	Engineered luxui	V VIIIVL DLANK

Wear Layer 0.3mm/12mil

Width 7"

Thickness 3/16" / 5 MM

Length 48"

Edge Detail Square Edge

Finish Embossed

Installation Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

Warranty Limited 25-year residential wear, 10-year limited light commercial wear

Price Range (\$ - \$\$\$) \$

CARTON SPECS

Packaging 23.35 sq./ft. per carton

Weight 40 lbs.








SMARTDROP 9

beyond expectation

JZIOI

LUXURY VINYL













The "need for speed" meets design in this ultimate loose lay Luxury Vinyl flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-live-on floor. Available in 9"x 60" planks.

*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.





PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl plank

Wear Layer 0.3mm/12mil

Width 9"

Thickness 3/16" / 5 MM

Length 60"

Edge Detail Square Edge

Finish Embossed

Installation Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

Warranty Limited 25-year residential wear, 10-year limited light commercial wear

Price Range (\$ - \$\$\$) \$

CARTON SPECS

Packaging 30 sq./ft. per carton

Weight 56 lbs.







SMARTDROP ELITE 7

LUXURY VINYL



The "need for speed" meets design in this ultimate loose lay Luxury Vinyl plank flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-live-on floor. Available in 7"x48" planks.













SMARTDROP ELITE 7 LUXURY VINYL



PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl plank

Wear Layer 0.5mm/20mil

Width 7"

Thickness 3/16" / 5 MM

Length 48"

Edge Detail Square Edge

Finish Embossed

Installation Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

Warranty Limited lifetime structural, 25-year residential wear, 15-year limited heavy

commercial wear

Price Range (\$ - \$\$\$) \$

CARTON SPECS

Packaging	23.35 sq./ft. per carton
i ackaging	23.33 39.7 rt. per cartori

Weight 40 lbs.







SMARTDROP ELITE 9

LUXURY VINYL





The "need for speed" meets design in this ultimate loose lay Luxury Vinyl flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-live-on floor. Available in 9"x 60" planks.

*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



Bateau

SMARTDROP ELITE 9 LUXURY VINYL



PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl plank

Wear Layer 0.5mm/20mil

Width 9"

Thickness 3/16" / 5 MM

Length 60"

Edge Detail Square Edge

Finish Embossed

Installation Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

\$

Extreme Temperature Performance -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

Warranty Limited lifetime structural & 25-year residential wear, 15-year limited heavy

commercial wear

Price Range (\$ - \$\$\$\$)


CARTON SPECS

Packaging	30 sq./ft. per carton
rackaging	30 34.7 rt. per cartori

Weight 55 lbs.








SMARTDROP ELITE TILE

FUZION

beyond expectation

LUXURY VINYL
















*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

SMARTDROP ELITE TILE



LUXURY VINYL

PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl tile
Wear Layer	0.5mm/ 20mil
Width	18" / 20" (*)
Thickness	3/16" / 5 MM
Length	36" /20" (*)
Edge Detail	Square Edge
Finish	Embossed
Installation	Loose lay, glued down, perimeter glue or tape
Suitable Location	On, above or below grade
Certification	Floorscore
Radiant Heat	Suitable for use with hydronic systems
Extreme Temperature Performance	-15°c to 80°c / 5°F to 176°F
Additional Features	Solid fiberglass core delivers premium stability
Warranty	Limited lifetime structural & 25-year residential wear, 15-year limited heavy commercial wear
Price Range (\$ - \$\$\$\$)	\$

CARTON SPECS

Packaging	26.91-36 sq./ft. per carton
Weight	40-66 lbs.








SMARTDROP TILE


LUXURY VINYL

FUZION









The "need for speed" meets design in this ultimate loose lay Luxury Vinyl tile flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-live-on floor. Available in 12"x 24" tiles

'For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

SMARTDROP TILE LUXURY VINYL



PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl tile

Wear Layer 0.3mm/12mil

Width 12"

Thickness 3/16" / 5 MM

Length 24"

Edge Detail Square Edge

Finish Embossed

Installation Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

Certification Floorscore

Radiant Heat Suitable for use with hydronic systems

Extreme Temperature Performance -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

Warranty 25-year residential wear, 10-year limited light commercial wear

Price Range (\$ - \$\$\$\$) \$

CARTON SPECS

Doelcoeine	2112 cg /ft por carton
Packaging	21.13 sq./ft. per carton

Weight 37 lbs.







