





Finally, style and endurance unite in perfect harmony. Introducing the captivating, all-new waterproof flooring solution that promises to stand up to anything and everything your family can throw at it. Flaunting unmatched visual realism that is true to touch, this collection is completely sealed from top to bottom and backed by TidalCore water defense technology.

*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



Horizon _





Stucture	Waterproof flooring planks
Width	7-1/2"
Thickness	1/2" / 12 MM
Length	50-1/2"
Edge Detail	Painted bevel & edge-to-edge non-ionic high polymer seal
Finish	Authentic emboss
Rating	AC5
Installation	1Clic2Go Pure
Suitable Location	On, above or below grade
Certification	CARB II & Floorscore
Radiant Heat	Suitable for use with hydronic systems
Additional Features	Featuring TidalCore (55% more stable & 35% more dense
	than traditional laminate), with Anti-Bacterial Coating
Warranty	Limited lifetime residential, 10-year limited light commercial wear
Price Range (\$ - \$\$\$\$)	\$

CARTON SPECS

15.93 sq./ft. per carton **Packaging**

36.5 lbs. Weight

FLOOR MOULDINGS & TRIM OPTIONS:







Stair Nosing













FUZGUARDWATER RESISTANT





FuzGuard is a revolutionary fashion forward flooring solution completely sealed from top to bottom allowing you to enjoy your floors worry-free. 55% more stable than standard laminate core, FuzGuard is the most stable wood based flooring product in the industry today.

For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



Montana

Tahoe





Structure	Waterproof flooring planks
Width	$5^{11}/_{16}$ ", $6^{1}/_{2}$ ", $7^{3}/_{4}$ ", $9^{5}/_{16}$ ", or Multi (3 $^{1}/_{2}$ ", $5^{5}/_{8}$ " & $7^{3}/_{4}$ ")
Thickness	1/2" / 12mm
Length	48", 71 ¹ / ₄ " or 87"
Edge Detail	Painted bevel & edge-to-edge non-ionic high polymer seal
Finish	Embossed in register
Rating	AC4
Installation	5G or 5G Dry locking system
Suitable Location	On, above or below grade
Certification	CARB II & Floorscore
Radiant Heat	Suitable for use with hydronic systems
Additional Features	Featuring TidalCore (55% more stable & 35% more dense than traditional laminate)
Warranty	Limited lifetime residential, 10-year limited light commercial wear
Price Range (\$ - \$\$\$\$)	\$

CARTON SPECS


Packaging 12.98-22.92 sq./ft. per carton

Weight 31-54 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:













FuzionFlooring.com











OCEANA WATERPROOF













Design and durability have partnered up at last to enhance your living space. Introducing the seductive, all-new waterproof flooring solution that promises to stand up to anything and everything you can throw at it. Boasting unrivalled realism that is just as authentic to view as it is to touch, this collection is completely sealed and backed by TidalCore water defense technology.

*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.





Stucture	Waterproof flooring planks
Width	7-1/2"
Thickness	5/16" / 8 mm
Length	50-1/2"
Edge Detail	Painted bevel & edge-to-edge non-ionic high polymer seal
Finish	Authentic emboss
Rating	AC5
Installation	1Clic2Go Pure
Suitable Location	On, above or below grade
Certification	CARB II & Floorscore
Radiant Heat	Suitable for use with hydronic systems
Additional Features	Featuring TidalCore (55% more stable & 35% more dense than tra-
	ditional laminate), with Anti-Bacterial Coating
Warranty	Limited lifetime residential, 10-year limited light commercial wear
Price Range (\$ - \$\$\$\$)	\$

CARTON SPECS

Packaging 23.9 sq./ft. per carton


Weight 37 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:

















OCEANA TILE


WATERPROOF











Design and durability have partnered up at last to enhance your living space. Introducing the seductive, all-new waterproof flooring solution that promises to stand up to anything and everything you can throw at it. Boasting unrivalled realism that is just as authentic to view as it is to touch, this collection is completely sealed and backed by TidalCore water defense technology.

*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.





Stucture	Waterproof flooring tiles
Width	12-7/8"
Thickness	5/16" / 8 mm
Length	25"
Edge Detail	Painted bevel & edge-to-edge non-ionic high polymer seal
Finish	Authentic emboss
Rating	AC5
Installation	1Clic2Go Pure
Suitable Location	On, above or below grade
Certification	CARB II & Floorscore
Radiant Heat	Suitable for use with hydronic systems
Additional Features	Featuring TidalCore (55% more stable & 35% more dense than
	traditional laminate), with Anti-Bacterial Coating
Warranty	Limited lifetime residential, 10-year limited light commercial wear
Price Range (\$ - \$\$\$\$)	\$

CARTON SPECS

Packaging	24.54 sq./ft. per carton
Weight	38 lbs.

FLOOR MOULDINGS & TRIM OPTIONS:























SEABREEZEWATER RESISTANT

























Stucture	Water Resistant flooring planks
Width	7.6"
Thickness	1/2" / 12 MM
Length	50.7"
Edge Detail	Sealed 4-sided bevel
Finish	Authentic Emboss
Rating	AC5
Installation	1click to go pure +
Suitable Location	On, above or below grade
Certification	CARB II & Floorscore
Radiant Heat	Suitable for use with hydronic systems
Additional Features	Water Defense Technology, Surface water and well protection, Fully organic, Free of PVC's
Warranty	Limited 30 year residential, 15-year limited light commercial wear
Price Range (\$ - \$\$\$\$)	\$

CARTON SPECS

16.25 sq./ft. per carton **Packaging** 35 lbs. Weight

FLOOR MOULDINGS & TRIM OPTIONS:







Stair Nosing









